

## Sunbelievable Design Parasols

Who says there is nothing **new under the sun**? They clearly haven't heard of Sywawa! Sywawa is the innovative and contemporary design brand of the Symo Parasol Company, famed for its **top-of-the range** parasols that are fit to grace any terrace or garden. Sywawa's **ground-breaking and trendy design** is the result of perfect blend of top-quality materials and **superior workmanship**.

By listening to what people want and need, Sywawa has created a parasol collection with a **unique identity all its own**. Sywawa parasols stand out from the crowd. What's more, they allow their owners to stand out from the crowd as well, underlining their great foresight and excellent good taste! Sywawa parasols are **an inspirational addition to any outdoor setting** that requires shade from the sun, bringing a playful and alluring touch to any scene or situation.





## 15 international design awards

The most awarded parasol brand under the sun











BEST OF BD | WEST Product Design Award















project pages 44-45 / 60-61 / 76-77 technical page 84



BREEZER project pages 50-51/66-67 technical page 86



CACHE-CACHE & CACHE-CACHE WOOD project pages 20-23 / 46-47 technical page 87



FROU FROU project pages 6-11/18-19/32-33/38-41/49/78-79 technical page 93



GULLIVER
project pages 14-17 / 42-43 / 52-53
technical page 94



PADDO project pages 34-37/72-73 technical page 95

## Content

Our customers testify on www.symoparasols.com/en/news/testimonials



BRANDY project pages 62-63 technical page 85



COUPE project pages56-57 technical page 90



CUBE project pages 28-29 / 80-81 technical page 92






FROU FROU – Hotel Portal Hills – Palma de Mallorca – Spain







































CACHE-CACHE Wood - Hotel Montanus/Den Heerd - Brugge - Belgium




















CUBE - Private home - Ghent - Belgium



COUTURE - Mandarin Oriental - Kuala Lumpur - Maleisië


















PADDO - Ushuaïa Beach Hotel — Ibiza — Spain












































GULLIVER - Private Home - Aalter - Belgium















CHOCK-O-LAT – Café Impérial – Antwerp – Belgium












O P E N F A R M C O M M U N I T Y









SOUS - Private Home - Bruges - Belgium









CHIUSO & CHIUSO PIZZO - Het Boshuis - Hertsberge - Belgium








SHADYLACE - Hard Rock Hotel - Ibiza - Spain








PADDO with RGB Light - Anima Beach - Palma de Mallorca - Spain

anımabeaçh





CHUISO PIZZO & CUBE - La Souleiado - Ucel - France












FROU FROU - Anima Beach – Palma de Mallorca – Spain


anımabeaçh











# **BLOOM**

design by David Grosemans for Sywawa







				BL00M Ø 300 cm - H 240 cm		BL00M Ø 300 cm - H 260 cm		
				degrade	coloured top fabric	degrade	coloured top fabric	
PARASOL	Shape			€	*	(	$\Re$	
	Fabric	Top fabric		Airtex	Airtex	Airtex	Airtex	
	technical info see page 100-104	Colours		0	$\bigcirc$	0		
		Flags Colours		Polyester	Polyester	Polyester	Polyester	
		Option fire retardar	nt	no	yes, only white top fabric and white flags	no	yes, only white top fabric and white flags	
	Frame	Pole		Ø 40 mm Stainless Steel 316, epoxy primed and powder coated	Ø 40 mm Stainless Steel 316, epoxy primed and powder coated	Ø 40 mm Stainless Steel 316, epoxy primed and powder coated	Ø 40 mm Stainless Steel 316, epoxy primed and powder coated	
		Ribs		12 x Ø 18m	m, Aluminium	12 x Ø 18m	nm, Aluminium	
	Dimensions	Height close	ed	24	0 cm	26	50 cm	
		Height open		240 cm		260 cm		
		Free height open		210 cm		230 cm		
		Free height	closed	56 cm		76 cm		
		Shade area		±7,07 m²		±7	,07 m²	
		Weight	KG	30	) kg	3	30 kg	
		Packaging 🛗		375 x 40 x 40 cm		375 x 4	40 x 40 cm	
	Protective cover			Polyester with Polyurethane coating $\pm 240$ g/m², highly UV-resistant, grey				
BASES	S tandard	Material		12 mm, steel QSTE 325. Sandblasted, metallized and powder coated				
	base plate round Ø 74 cm	Colors		$\bigcirc lacktriangle$				
	Di i cili	Weight		41 kg				
	11 11 11 11	Wind resistance	*		Bloom Parasol + Standard b	pase : 6 BFT (49 km/h - 31 mph)		
		Packaging			80 x 80	x 4 cm		
	Optional:	Material		6 mm, steel QSTE 325. Sandblasted, metallized and powder coated				
	extra weight	Colors						
	11 11 11	Weight			2x 10	) kg		
		Wind resistance	*	Blo	oom Parasol + Standard base + E	Extra weight : 7 BFT (61 km/h - 38 mph)		
		Packaging			80 x 80	x4cm		
Other bases see page 106					Ron	Rondo		
ACCESORIES	Light Quaseo				Х			
see page 105	Bla Bla table		-		X			
	Coupe + Bla Bla	a table			X			

Always install the base on a horizontal and flat surface. This parasol also fits in any standard base that allows parasol poles of Ø 40 mm. The base must have a minimum size of Ø 74 cm and a minimum weight of 42,5 kg. Guarantee only with original Sywawa parts.

<sup>©</sup> Symo n.v. 2012 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action. Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

## **BRANDY**

design by Lieven Musschoot & Mathias Hennebel for Sywawa



		BRANDY Ø 51 x 93 cm		
MATERIAL	Wireframe	Steel wire Ø 6 mm sandblasted, metallized and powder coated heat resistant finish		
	Ash tray	Steel thickness 1,3 mm sandblasted, metallized and powder coated heat resistant finish		
	Ground plate	Steel thickness 0,8 mm sandblasted, metallized and powder coated heat resistant finish		
	Height	93 cm		
DIMENSIONS	Width	Ø 51 cm		
סוואכווסוטואס	Weight 🖟	13,6 kg		
	Packaging 👚	52 x 52 x 95 cm		

<sup>©</sup> Symo n.v. 2009 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action.
Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

## **BREEZER**

design by David Grosemans for Sywawa





DADAGOL	CI		BREEZER 350 x 250 cm		
PARASOL	Shape				
	Fabric technical info	Top fabric Colours	Sunvision		
	see page 100-104	Flags Colours	Polyester		
		Option fire retardant	yes		
	Frame	Pole	Ø 40 mm - Stainless Steel 316, brushed, natural colour Optional: Marine grade treatment for installation on or near the beach		
		Ribs	12 x Ø 18mm, Aluminium		
	Dimensions	Height closed	320 cm		
		Height open	245 cm		
		Free height open	205 cm		
		Free height closed	72 cm		
		Shade area	±8,75 m²		
		Weight KG	22 kg		
		Packaging Packaging	380 x 37 x 34 cm		
	Protective cover		Polyester with acrylic / teflon coating ±200g/m², highly UV-resistant, colour grey		
BASES	Standard base 98x70 cm	Material	10 mm, steel, Sandblasted, metallized and powder coated		
	JOXYOCIII	Colors	$\bigcirc lacktriangle$		
		Weight	54 kg		
		Wind resistance	Breezer Parasol + Standard base: 4 BFT (28 km/h or 17 mph)		
		Packaging	110 x 92 x 4 cm		
	Optional : extra weight	Material	5 mm, steel, Sandblasted, metallized and powder coated		
	weight	Colors	$\bigcirc lacktriangle$		
	II II II	Weight	2x 13,5 kg		
	The state of the s	Wind resistance	Breezer Parasol + Standard base + Extra weight : 5 BFT (38 km/h - 24 mph)		
		Packaging	110 x 92 x 4 cm		
	Other bases see p	age 106	Tile base luxury / Coupe+Breezer plate		
ACCESORIES	Light Quaseo		X		
ee page 105	Bla Bla table		X		
	Coupe + Bla Bla t	able	X		

Always install the base on a horizontal and flat surface. This parasol fits in any standard base for parasols up to  $3.5 \times 2.5$  m that allows parasol poles of  $\emptyset$  40 mm. The base must have a minimum size of  $98 \times 70$  cm and a minimum weight of 54 kg. Guarantee only with original Sywawa parts.

<sup>©</sup> Symo n.v. 2008 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action. Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

## CACHE-CACHE

design by Lieven Musschoot, Mathias Hennebel & Sywawa creative studio

			CACHE-CACHE Ø 190 cm	CACHE-CACHE Ø 245 cm	CACHE-CACHE WOOD 200 cm x 200 cm
PARASOL	Shape		$\oplus$	₩	
	Fabric technical info see page 100-104	Top fabric Colours		Symacryl • • • • • •	
		Inside fabric Colours	Lace 100% Polyester black or white		Lace 100% Polyester black or white
f	Frame	Pole	Brushed stainless steel tube inox 304 Transparent coating natural colour No tilt Upper pole Ø 27 mm Lower pole Ø 30 mm marine grade	Brushed stainless steel tube inox 304 Transparent coating natural colour No tilt Upper pole Ø 27 mm Lower pole Ø 30 mm marine grade	Natural eucalyptus wood  Natural colour  No tilt  Pole Ø 48 mm  with metal reinforcement  ring Ø 52 mm  marine grade
		Ribs	8 black steel ribs metallized and coated Ø 4,5mm	10 black steel ribs metallized and coated Ø 4,5 mm	4 ribs, natural eucaluptus wood 35x20 mm
	Dimensions	Height closed	245 cm	245 cm	263 cm
		Height open	245 cm	245 cm	263 cm
		Free height open	210 cm	205 cm	202 cm
		Free height closed	135 cm	110 cm	110 cm
		Shade area	±2,83 m²	±4,71 m²	±4,00 m²
		Weight	3,5 kg	4,5 kg	10,0 kg
		Packaging 💮	160 x 18 x 18 cm	160 x 18 x 18 cm	275 x 27 x 27 cm
	Protective cov	er	Polyester with ac	rylic/teflon coating ±200g/m², highly l	JV-resistant, grey
BASES	Standard Base		Ro	ndo	Cape Wood base 42 kg
see page 106	Optional	extra weight		X	-
	Wind res	istance 🐇	5 BFT (38 k	m/h - 24 mph)	7 BFT (61 km/h - 38 mph)
	Other bases		Coupe / Ci	ube / Luna	Luna / Rondo
ACCESORIES	Light Quaseo		-		Х
see page 105	Bla Bla table		-	-	-
	Coupe + Bla Bl	a table	-	-	-

Always install the base on a horizontal and flat surface.
This parasol also fits in any standard base that allows parasol poles of Ø 40 mm. The base must have a minimum size of Ø 74 cm and a minimum weight of 42,5 kg. Guarantee only with original Sywawa parts.

© Symo n.v. 2013 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action.

Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

## **CHIUSO**

design by Lieven Musschoot & Mathias Hennebel for Sywawa







				CHII Ø 18		CHIUSO Ø 18		
PARASOL	Shape			€	$\triangleright$	€	$\Theta$	
	Fabric technical info	Top fabric Colours			Syn	nacryl		
	see page 100-104	Inside fabric Colours		Symacryl			6 Polyester or white	
	Frame	Pole		Brushed stainless steel tube inox 304 Transparent coating natural colour No tilt	Beech Wood Varnish matte vintage look natural colour No tilt	Brushed stainless steel tube inox 304 Transparent coating natural colour No tilt	Beech Wood Varnish matte vintage look natural colour No tilt	
				Upper pole Ø 27 mm Lower pole Ø 30 mm marine grade	Upper pole Ø 35 mm Lower pole Ø 35 mm marine grade	Upper pole Ø 27 mm Lower pole Ø 30 mm marine grade	Upper pole Ø 35 mn Lower pole Ø 35 mn marine grade	
		Ribs		8 black steel ribs metallized and coated Ø 4,5mm	8 steel ribs metallized Ø 4,2 mm	8 black steel ribs metallized and coated Ø 4,5mm	8 steel ribs metallized Ø 4,2 mm	
	Dimensions	Height closed		245 cm	225 cm	245 cm	225 cm	
		Height open		245 cm	225 cm	245 cm	225 cm	
		Free height op	en	210 cm	188 cm	210 cm	188 cm	
		Free height clo	sed	115 cm	101 cm	115 cm	101 cm	
		Shade area		±2,45 m²	±2,34 m²	±2,45 m²	±2,34 m²	
		Weight	(KG	4 kg	5,5 kg	4 kg	5,5 kg	
		Packaging		160 x 18 x 18 cm	160 x 18 x 18 cm	160 x 18 x 18 cm	160 x 18 x 18 cm	
	Protective cov	Protective cover		Polyester with acrylic/teflon coating ±200g/m², highly UV-resistant, grey				
BASES	Standard Base	!		Rondo				
ee page 106	Optional	extra weight		x				
	Wind res	Wind resistance		5 BFT (38 km/h - 24 mph)				
	Other bases			Coupe/Cube/Luna				
ACCESORIES	Light Quaseo			-	-	-	-	
ee page 105	Bla Bla table		•	-	-	-	-	
	Coupe + Bla Bl	a table	••••	-	-	-	-	

Always install the base on a horizontal and flat surface. This parasol fits in any standard base for parasols up to 0245cm that allows parasol poles of 035mm. The base must have a minimum size of 050cm or 45x45 cm and a minimum weight of 30 kgs. Guarantee only with original Sywawa parts.

© Symo n.v. 2015 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action. Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

## CHOCK-O-LAT

design by Dominique Persoone for Sywawa





			CHOCK-O-LAT Ø 235 cm
PARASOL	Shape		₩
	Fabric technical info	Top fabric Colours	Symacryl
	see page 100-104	Inside fabric Colours	Symacryl
	Frame	Pole	Brushed stainless steel tube inox 304 Transparent coating natural colour
			No tilt Upper pole Ø 27 mm Lower pole Ø 30 mm
		Ribs	marine grade  8 black steel ribs  metallized and coated Ø 4,5mm
	Dimensions	Height closed	245 cm
		Height open	245 cm
		Free height open	200 cm
		Free height closed	118 cm
		Shade area	±4,06 m²
		Weight	6,0 kg
		Packaging	160 x 18 x 18 cm
	Protective cove	er	Polyester with acrylic/teflon coating ±200g/m², highly UV-resistant, grey
BASES	Standard Base		Rondo
see page 106	Optional	extra weight	X
	Wind resi	stance 🐇	5 BFT (38 km/h - 24 mph)
	Other bases		Coupe/Cube/ Luna
ACCESORIES	Light Quaseo		-
see page 105	Bla Bla table		-
	Coupe + Bla Bla	a table	-

This parasol fits in any standard base for parasols up to 0245cm that allows parasol poles of 030mm. The base must have a minimum size of 050cm or 45x45 cm and a minimum weight of 30 kgs. Guarantee only with original Sywawa parts..

<sup>©</sup> Symo n.v. 2015 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action. Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

### COUPE

design by Jan Melis for Sywawa



100% Design Rotterdam 2008 award of the public

		COUPE 50 x 50 x 40 cm			
		For parasol poles Ø 25 to 35 mm	For parasol poles Ø 36 to 40 mm		
MATERIAL	Tube	Stainles Sandblasted, epoxyprin			
	Bowl	Polyethyler	ne Ø 50 cm		
	Base	Steel - Sandblasted, metallize			
COLOURS		$\bigcirc lacktriangle$			
DIMENSIONS	Height	40 cm			
	Width	Ø 40	cm		
	Weight KG	5kg			
	Packaging 🗂	53 x 53 x	x 42 cm		

<sup>©</sup> Symo n.v. 2006 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action. Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

### Possible combinations with coupe



COUPE parasolbase for parasols with poles from Ø25-40 mm



for parasols with pole Ø35 or Ø40 mm



COUPE + BASE PLATE BREEZER

only for use with BREEZER parasol



COUPE + BASE PLATE ROUND only for use with BLOOM & FROU FROU parasol

## COUTURE

design by Lucile Roybier for Sywawa

			COUTURE ROUND Ø 190 cm	COUTURE ROUND Ø 245 cm		
PARASOL	Shape		⊗			
	Fabric technical info see page 100-104	Top fabric Colours	Sym	nacryl		
	3cc page 100 104	Inside fabric - only valances Colours	Symacryl • • • • • • • •			
	Frame	Pole	Brushed stainless steel tube inox 304 Transparent coating natural colour No tilt Upper pole Ø 27 mm Lower pole Ø 30 mm marine grade	Brushed stainless steel tube inox 304 Transparent coating natural colour No tilt Upper pole Ø 27 mm Lower pole Ø 30 mm marine grade		
		Ribs	8 black steel ribs metallized and coated Ø 4,5mm	8 black steel ribs metallized and coated Ø 4,5mm		
		Height closed	245 cm	245 cm		
		Height open	245 cm	245 cm		
		Free height open	193 cm	175 cm		
	Dimensions	Free height closed	122 cm	100 cm		
		Shade area	±2,83 m²	±4,71 m²		
		Weight 🚾	3,5 kg	4,5 kg		
		Packaging	160 x 18 x 18 cm	160 x 18 x 18 cm		
	Protective cov	er	Polyester with acrylic/teflon coating	±200g/m², highly UV-resistant, grey		
BASES	Standard Base		Ro	ndo		
see page 106	Optional	extra weight	Х			
	Wind res	istance 🔻	5 BFT (38 km/h - 24 mph)			
	Other bases		Coupe / C	ube / Luna		
ACCESORIES	Light Quaseo		-	-		
see page 105	Bla Bla table		-	-		
	Coupe + Bla Bl	a table	-	-		

Always install the base on a horizontal and flat surface. This parasol fits in any standard base for parasols up to 0245cm that allows parasol poles of 030mm. The base must have a minimum size of 050cm or 45x45 cm and a minimum weight of 30 kgs. Guarantee only with original Sywawa parts..

<sup>©</sup> Symo n.v. 2010 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action. Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

## **CUBE**

design by Jan Melis for Sywawa



			CUBE 45 x 45 x 45 cm Parasolbase and pouf		
CUBE	Material	Cube	Polyethylene		
		Tube	For parasols with poles from Ø 29 to 50 mm		
	Colours	l	0		
		Height	45 cm		
		Width	45 cm		
	Dimensions	Weight KG	empty 6,5 kg waterfilled 41,5 kg		
		Packaging 😁	46 x 46 x 46 cm		
CUSHION (optional)	Material	Fabric	Symacryl 100% Acrylic 190g/m2		
		Filling	Foam polyurethane		
	Colours				
	Dimensions		31,5 x 37,5 x 4 cm		
PARASOLCLIP for poles ø 29 to 39 mm (included)	Material		Pure Gum		
(included)	Colour				
	Dimensions		Ø 9,2 x 6,5 cm		
PARASOLCLIP for poles ø 40 to 50 mm (included)	Material		Pure Gum		
(1103000)	Colour				
	Dimensions		Ø 9,2 x 6,5 cm		

For parasols up to 0 3m or square 3x3m maximum. Always install the Cube on a horizontal and flat surface.
Always fill the Cube completely with water before using as a parasol base.

© Symo n.v. 2006 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action. Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

## **FROU FROU**

design by Jan Melis for Sywawa





BEST OF BD | WEST Poduct Desing Award





			FROU FROU Ø 250 cm - H 240 cm	FROU FROU Ø 250 cm - H 260 cm		
PARASOL	Shape			*		
	Fabric technical info see page 100-104	Top fabric Colours	Airtex ○ <b>●</b>	Airtex ○ <b>●</b>		
	3cc page 100 104	Lower fabric Colours	Raffia	Raffia ○●●		
		Option fire retardant	no	no		
	Frame	Pole	Ø 40 mm Stainless Steel 316, brushed option: marine grade	Ø 40 mm Stainless Steel 316, brushed option: marine grade		
		Ribs	12 x Ø 18mm, Aluminium	12 x Ø 18mm, Aluminium		
		Height closed	240 cm	260 cm		
		Height open	240 cm	260 cm		
		Free height open	190 cm	210 cm		
	Dimensions	Free height closed	56 cm	76 cm		
		Shade area	±4,91 m²	±4,91 m²		
		Weight 🔊	22 kg	22 kg		
		Packaging 💮	270 x 43 x 43 cm	270 x 43 x 43 cm		
	Protective cover		Polyester with Acrylic / Teflon coating $\pm 200$ g/m², highly UV-resistant, grey			
ASES	Standard base	Material	12 mm, steel QSTE 325. Sandblasted, metallized and powder coated			
	plate round Ø 74 cm	Colors	$\bigcirc lacktriangle$			
		Weight	41 kg			
	H H H H	Wind resistance	Frou Frou Parasol + Standard	d base : 6 BFT (49 km/h - 31 mph)		
		Packaging	80 x 80	80 x 4 cm		
	Optional : extra weight	Material	6 mm, steel QSTE 325. Sandblast	ed, metallized and powder coated		
	extra weigilt	Colors	$\circ$	•		
		Weight	2x 1	0 kg		
	11 11 11 11	Wind resistance	Frou Frou Parasol + Standard base +	u Frou Parasol + Standard base + Extra weight : 7 BFT (61 km/h - 38 mph)		
	Packaging		80 x 80 x 4 cm			
	Other bases see	page 106	Rondo			
CCESORIES	Light Quaseo		X			
ee page 105	Bla Bla table		X			
	Coupe + Bla Bla	table	>	X		

Always install the base on a horizontal and flat surface. This parasol also fits in any standard base that allows parasol poles of  $\emptyset$  40 mm. The base must have a minimum size of  $\emptyset$  74 cm and a minimum weight of 42,5 kg. Guarantee only with original Sywawa parts.

<sup>©</sup> Symo n.v. 2006 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action. Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.


## **GULLIVER**

design by Davy Grosemans for Sywawa



			GULLIVER Ø 295 cm	Possible co	ombinations	
PARASOL	Shape			White frame	Black frame	
	Fabric technical info see page 100-104	Top fabric Colours	Airtex	(pole-ribs-base plate)	(pole-ribs-base plate)	
	see page 100-104	Ribbon - Colours	00000	White	White	
	Frame	Pole	Ø 35 mm - Anodised aluminium, powder coated	White White Black 1	Black 2 White Black 3	
		Ribs	10 steel ribs, paragon shape, metalized and coated			
		Height closed	266 cm			
		Height open	266 cm	Yellow	Yellow	
		Free height open	210 cm	White White Yellow	Black Yellow	
	Dimensions	Free height closed	100 cm			
		Shade area	±7,07 m²			
		Weight	8 kg			
		Packaging —	276 x 30 x 28 cm			
	Protective cov	er	Polyester with acrylic / teflon coating ±200g/m², highly UV-resistant, colour grey	Orange White White Orange	Orange Black Black Orange	
BASES	Gulliver base Material		10 mm, steel, Sandblasted, metallized and powder coated		<b>4</b> 4	
	Ø74 cm	Colors	$\bigcirc lacktriangle$			
		Weight	41 kg			
	ا ك	Wind resistance	Gulliver Parasol + Gulliver base: 5BFT (38 km/h - 24 mph)	Dad	Cod	
		Packaging	80 x 80 x 4,5 cm	··· Red White White Red	Red Black Black Red	
	Tube 45 x 30 x	Material	Aluminium sandblasted, and powder coated		- 4	
	7 cm	Colors				
		Weight	6 kg			
	ل ا	Packaging	10 x 35 x 50 cm	Blue White White	Blue Black Black	
	Other bases	L	-	Blue	Blue	
ACCESORIES	Light Quaseo		X			
see page 105	Bla Bla table		X			
	Coupe + Bla Bl	a table	X			
Always install the poles of Ø 35mm. with original Sywa	base on a horizontal The standard base n	and flat surface. This para:	l sol also fits in any standard base for parasols up to Ø 3m that allows parasol of Ø 74cm or 45x45cm and a minimum weight of 42,5 kg. Guarantee only	Black White 2 Black White 3	Black Black White 1	
© Symo n.v. 2013	L – All rights reserve	d – Any reproduction of Se any technical data, dimen	wawa products is strictly prohibited and will result in legal action. iions, colours and characteristics without prior notice. Printed colours may	<b>3</b>	<b>4 1</b>	

design by Lieven Musschoot & Mathias Hennebel for Sywawa



Always install the base on a horizontal and flat surface. This parasol fits in any standard base for parasols up to 0245cm that allows parasol poles of 035mm. The base must have a minimum size of 050cm or 45x45 cm and a minimum weight of 30 kgs. Guarantee only with original Sywawa parts.

<sup>©</sup> Symo n.v. 2009 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action. Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

### **SHADYLACE**

design by Chris Kabel for Sywawa in partnership with Droog design



				YLACE -5 cm	SHADYLACE XL Ø 350 cm	
PARASOL	Shape		€	$\otimes$		
	Fabric technical info see page 104	Fabric colour	Lace	Lace	Lace	
	Frame	pole	Anodized aluminium natural colour	Aluminium powder coated green (pantone 5747)	Anodized aluminium natural colour	
			No tilt Upper pole Ø 32 mm Lower pole Ø 32 mm	No tilt Upper pole Ø 32 mm Lower pole Ø 32 mm	No tilt pole Ø 35 mm	
		ribs	8 white steel ribs metallized and coated Ø 4,0mm	8 green steel ribs metallized and coated Ø 4,0mm	8 white steel ribs paragon shape	
	Bird		grey, polyamide	gold, polyamide	grey, polyamide	
		height closed	243	261 cm		
		height open	243	243 cm		
	Dimensions	free height open	190	200 cm		
		free height closed	115 cm		70 cm	
		shade area	±4,71 m²		±9,62 m²	
		weight	4,0	) kg	7,0 kg	
		packaging	140 x 15	5 x 15 cm	275 x 21 x 12 cm	
	Protective cover		White polyester	Green polyester	Polyester with acrylic/teflon coat- ing ±200g/m², highly UV-resistant, grey	
BASES	Standard Base		Rondo			
see page 106	Optional	extra weight				
	Wind res	istance 🐇				
	Other bases			Coupe/Cube/Luna		
ACCESORIES	Light Quaseo		-	-	Х	
see page 105	Bla Bla table		-	-	Х	
	Coupe + Bla Bl	a table	-	-	X	

Always install the base on a horizontal and flat surface. The SHADYLACE Ø 245cm also fits in any standard base for parasols up to Ø 245cm that allows parasol poles of Ø 32mm. The standard base must have a minimum size of Ø 50cm or 45x45cm and a minimum weight of 20 kg. The SHADYLACE XL also fits in any standard base for parasols up to Ø 3,5m that allows parasol poles of Ø 35mm. The standard base must have a minimum size of Ø 50cm or 45x45cm and a minimum weight of 40 kg. Guarantee only with original Sywawa parts.

<sup>©</sup> Symo n.v. 2006 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action.
Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

## **SOLIS**

design by Dirk Wynants for Sywawa

Designed by Dirk Wynants, 2002-2005, all rights reserved Internationally protected by intellectual property Worldwide exlusively co-licensed by Extremis and Symo











			SOLIS Ø 400 cm	SOLIS 400x400 cm	SHADYLACE XL Ø 560 cm		
PARASOL	Shape						
	Fabric technical info see page 104	Fabric Colour		Airtex			
	Frame	Pole Colour		Aluminium powder coated 4 mm white RAL 9010 (other RAL colours on request) No tilt Ø 80 mm			
		Ribs		8 stainless steel ribs 30 x 20 x 2 mm	-		
		Top cables		Stainless steel Ø 2,5 mm	***************************************		
	Dimensions	Height closed	348 cm	348 cm	357 cm		
		Height open	348 cm	348 cm	357 cm		
		Free height open	220 cm	220 cm	220 cm		
		Free height closed	120 cm	37 cm	46 cm		
		Shade area	±12,56 m²	±16 m²	±24,62 m²		
		Weight 🕵	51 kg	58 kg	63,5 kg		
		Packaging ==	357 x 28 x 28 cm	357 x 28 x 28 cm	357 x 28 x 28 cm		
	Protective cover		Polyester with acrylic/teflon coating ±200g/m², highly UV-resistant, grey				
BASES see page 106			Tile luxury base	2 140 kg or 200 kg	Tile luxury base 200kg		
	Wind resistance			6 BFT (49 km/h-31 mph)			
			Ground plate luxury / Inground sleeve luxury				
ACCESORIES see page 105	Light Quaseo		-	-	-		
	Bla Bla table		-	-	-		
	Coupe + Bla Bl	a table	-	-	-		
	4				4		

Always install the base on a horizontal and flat surface. This parasol fits in any standard base for parasols up to Ø560cm that allows parasol poles of Ø80mm. The base must have a minimum size of 80x80 cm and a minimum weight of 140 / 200 kgs. Guarantee only with original Sywawa parts..

<sup>©</sup> Symo n.v. 2006 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action. Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

## **TAHITI**

design by Mark Gabbertas for Sywawa



			TAHITI Ø 300 cm mono	TAHITI Ø 300 cm duo	TAHITI Ø 300 cm degrade		
PARASOL	Shape						
	Fabric technical info see page 100-104	Top fabric Colours	Raffia ○ ● ●	Raffia	Raffia		
		Edge Colours	-	Raffia			
		Inside fabric Colours		Airtex			
	Frame	Pole	Ø 40 mm Stainless Steel 316, epoxy primed and powder coated				
		Ribs	12 Aluminium ribs, Ø 18 mm x 1,5 mm reïnforced				
	Dimensions	Height closed	240 cm				
		Height open	240 cm				
		Free height open		190 cm			
		Free height closed		110 cm			
		Shade area	±7,07m²				
		Weight KG	19,5 kg				
		Packaging 👚		276 x 41 x 43 cm			
	Protective cover		Polyester with acrylic/teflon coating ±200g/m², highly UV-resistant, grey				
BASES	Standard Base		Rondo				
see page 106	Optional extra weight		X				
	Wind resistance		Tahiti + Rondo base: 5 BFT (38 km/h-24 mph) Tahiti + Rondo base + extra weight: 6 BFT (49 km/h-31 mph)				
	Other bases		Luna				
ACCESORIES see page 105	Light Quaseo		X				
	Bla Bla table			x			
	Coupe + Bla Bla table			X			

Always install the base on a horizontal and flat surface. This parasol also fits in any standard base that allows parasol poles of Ø 40 mm. The base must have a minimum size of Ø 74 cm and a minimum weight of 42,5 kg. Guarantee only with original Sywawa parts.

<sup>©</sup> Symon.v. 2016 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action. Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

## **TWISTER**

design by Mathias Hennebel & Sywawa creative studio







			TWISTER 2,5 x 2,5 m
PARASOL	Shape		
	Fabric technical info see page 100-104	Top fabric Colours	Airtex
		Inside fabric Colours	Polyester flag fabric white
	Frame	Pole	0 40 mm - Anodised aluminium Natural colour
		Ribs	12 Aluminium ribs, Ø 18 mm
	Dimensions	Height closed	262 cm
		Height open	240 cm
		Free height open	200 cm
		Free height closed	55 cm
		Shade area	±6,25m²
		Weight kg	18 kg
		Packaging 👚	276 x 30 x 28 cm
	Protective cov	ег	Polyester with acrylic/teflon coating ±200g/m², highly UV-resistant, grey
BASES	Standard Base		Rondo
see page 106	Optional	extra weight	Х
	Wind res	istance *	Twister + Rondo base: 5 BFT (38 km/h-24 mph) Twister + Rondo base + extra weight: 6 BFT (49 km/h-31 mph)
	Other bases		Luna
ACCESORIES	Light Quaseo		Х
see page 105	Bla Bla table		X
	Coupe + Bla Bl	a table	X

Always install the base on a horizontal and flat surface. This parasol also fits in any standard base that allows parasol poles of Ø 40 mm. The base must have a minimum size of Ø 74 cm and a minimum weight of 42,5 kg. Guarantee only with original Sywawa parts.

<sup>©</sup> Symo n.v. 2016 – All rights reserved – Any reproduction of Sywawa products is strictly prohibited and will result in legal action. Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

### **Fabrics**

### Sunbrella

### Characteristics

- Warranty: 10 years against colour fading
- Composition: 100% solution dyed acrylic
- Finish: Cleangard special dirt-resitance and awning water repellant treatment
- Weight: 295 g/m<sup>2</sup>
- Schmerber: 350 mm
- Spray test: 5/5
- Colour fastness UV: 7-8/8

Values may have a variation ± 5%



This high quality fabric is recommended by the Skin Cancer Foundation as an effective UV protector



\\[\sigma\_{\Q}^{\Q} \\ \]









5404 Natural

3704

White sand



3943 Nacre











beige





Silver grey

























3942 Blue storm







Mimosa







Granny























3933

Macaroon



Mink brown





























3758 Sooty

3906 Carbon




### Airtex

#### Characteristics

- Composition: 100% polyester Finish: Acrylic / Teflon on top side
- Weight: 200 g/m2
- Colour fastness UV: 7-8/8

Values may have a variation ± 5%





### Sunvision

#### Characteristics

- Warranty: 5 years against colour fading
- Composition: Polyester fibre with pvc coating (58%) solution dyed acrylic fibre Sunacryl (42%)
- Finish: Cleangard special dirt-resitance and awning water repellant treatment
- Weight: 275 g/m<sup>2</sup>
- Water pressure : 70 hPa DIN 53886
- Light fastness: 6-8/8

Values may have a variation ± 5%



Есги



Ardoise





Sky



Symacryl

### Characteristics

- Composition: 100% olefin
- Finish: water and oil repellent
- Weight: 190 g/m2
- Spray test: 5/5
- Colour fastness UV: 7-8/8
- Uv protection: blocks 97% of uv rays

Values may have a variation ± 5%







### Orchestra

#### Characteristics

- Warranty: 10 years against colour fading
- Composition: 100% Sunacryl solution dyed acrylic
- Finish: Cleangard special dirt-resitance and awning water repellant treatment
- Weight: 290 g/m<sup>2</sup>
- Schmerber: 370 mm
- Spray test: 5/5
- Colour fastness UV: 4-5/5
- Values may have a variation ± 5%

#### Advantages:

- Shelters from both sun and rain
- The best UV protection: most colours block 100% of all uv radiation (total sunblock)
- Avoids greenhouse effect under your parasol: eliminates up to 95% of dazzle and heat

#### STOCK COLOURS



















OTHER COLOURS



8904 Lin



8396 Souris chine



U104 Flanelle



U095 Basalte chine



U105 Curry



U320 Canard chine



U321 Granny chine



U404 Switch citron



U398 Switch moutarde



U397 Switch curcuma



U396 Switch orange



U403 Switch mandarine



U395 Switch vert



U400 Switch turquoise



U399 Switch



pink

Beige tweed

U394 Switch vermillon



U390 Switch rouge



U402 Switch

chardon



U391 Switch ocean



U393 Switch empire



U136 Albatre tweed



U370 Papyrus tweed



tweed



tweed







tweed





tweed



Macadam

tweed



7330 Charcoal tweed



### Lace

### Characteristics

- 100% polyester 220D - 14 needles / inch









### Flag fabric

### Characteristics

- Composition: 100% polyester Finish: Jetflag with extra thermofixation Weight: 120 g/m²

Values may have a variation ± 5%







Raffia

### Characteristics

- 100% polypropylene




## Upgrade your parasol





## Light up your parasol





### Bases

Cape Wood

Ground plate

For parasol poles

Ø 36-50 mm

luxury

12,5 kg

42 kg



Ø 55 cm x 8 cm

Hand grips aluminium

Base concrete grey (vibrated)

Upstand steel with silver epoxy coating Upstand 22cm high

must be screwed on the ground

10 mm steel, sandblasted, metallized

tilting divice

40 x 40cm

Colours:

Optional:

anti-theft

screw and key

and powder coated

- standard: white RAL 9010,

- any ral colour on request



Cube

Coupe


For parasols with poles

more info see page 92

from 29 to 50 mm

For parasol poles Ø 25-40 mm











Through the HANDMADE IN BELGIUM authenticity label, UNIZO recognises the producers of genuine, traditional quality products. These products make a significant difference today for modern consumers. UNIZO intends to use the label to place modern, traditional craftsmen and women in the spotlight.





Symo Parasols

Industriepark Z3 Waggelwater

Dirk Martensstraat 13

B-8200 Brugge

Belgium

T+32(0)50 32 07 95

F+32(0)50312982

E info@symoparasols.com

We have done our utmost to assure all data are complete and correct upon release of this catalogue.

Our company is permanently committed to improve our products. For that reason, Symo Parasols is entitled to modify

To receive the latest information, please contact your Sales Manage

The colours in this brochure might varu from realitu due to restrictions in the printing process

© Sumo Parasols 2016. All rights reserved. Anureproduction in whole or part of Sumo Parasols products on this brochure, is strictly prohibited and will result in legal action.